




primena application



ZUPČASTE PUMPE / GEAR PUMPS

BELARUS

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

↻
3115.475.77

OEM

tractor type


rad. zapremina / displacement : 11 cm³

šifra
(0456228)

3,0 kg

BELARUS

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

↻
3115.478.74M/1

OEM

tractor type


rad. zapremina / displacement : 33,33 cm³

šifra
(9469248)

13,0 kg

BRATSTVO

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

↻ 3115.479.22M ↻ 3115.479.23M

OEM

tractor type


rad. zapremina / displacement : 42,0 cm³

šifra
(3924453)(3924503)

11,5 kg

CASE

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

↻ ZPB.F12/8.A4.F2.L.1

OEM-aktuel	OEM-previous
↻ 3223932 R94	↻ 3223932 R93

tractor type
955, 956, 1056, 1655, 955XL,
956XL, 1055, 1056XL


rad. zapremina / displacement : 12 + 8 cm³

šifra
(2425325)

4,7 kg

DEUTZ

NON STANDARD



PPT HIDRAULIKA	BOSCH
↻ ZPB.F14.A3.F2.L.1	↻ 0510515328

OEM


tractor type
DX36V, DX50X
DX330, DX350

rad. zapremina / displacement : 14 cm³

šifra
(0371476)

2,8 kg

DEUTZ



PPT HIDRAULIKA	BOSCH
↻ ZPB.F14.A3.F2.L	↻ 0510515316

OEM


tractor type
DX160, DX330, DX350, DX370, DX710

rad. zapremina / displacement : 14 cm³

šifra
(0752378)

2,8 kg

DEUTZ



PPT HIDRAULIKA	BOSCH
↻ ZPB.F16.A3.F2.L	↻ 0510615317

OEM

↻ 4309354 ↻ 1175656

tractor type
DX55, DX330, DX350, DX370, DX710


rad. zapremina / displacement : 16 cm³

šifra
(5796560)

3,0 kg

DEUTZ

NON STANDARD



PPT HIDRAULIKA	BOSCH
↻ ZPB.F19.A3.F2.L/1	↻ 0510615338

OEM

↻ 01175997 ↻ 01176453

tractor type
DX140, DX160, DX390


rad. zapremina / displacement : 19 cm³

šifra
(0752485)

3,2 kg

DEUTZ

STANDARD



PPT HIDRAULIKA	BOSCH
↻ ZPB.F16.A3.F2.L.VP/12	↻ 0510615322

OEM

tractor type


rad. zapremina / displacement : 16 cm³

šifra
(0458679)

4,2 kg

DEUTZ

STANDARD



PPT HIDRAULIKA	BOSCH
↻ ZPB.F16/14.A3.F2.L	↻ 0510665341

OEM-aktuel	OEM-previous
↻ 01175992	↻ 04345365

tractor type
DX85, DX90, DX110, DX120, DX145,
DX360, DX370, DX610, DX630, DX650


rad. zapremina / displacement : 16 + 14 cm³

šifra
(2040512)

6,6 kg

DEUTZ

STANDARD



PPT HIDRAULIKA	BOSCH
↻ ZPB.F19/11.A3.F2.L	↻ 0510665368

OEM

↻ 01174210

tractor type
DX80, DX86, DX110, DX92, DX450,
DX470, DX457, DX610, DX4.31, DX4.50


rad. zapremina / displacement : 19 + 11 cm³

šifra
(2040470)

6,8 kg

DEUTZ

STANDARD



PPT HIDRAULIKA	BOSCH
↻ ZPB.F22/14.D3.F2.L	↻ 0510765315

OEM-aktuel	OEM-previous
↻ 01176451	↻ 01175999

tractor type
DX85, DX90, DX110, DX120, DX145,
DX360, DX370, DX610, DX630, DX650

rad. zapremina / displacement : 22,5 + 14 cm³

šifra
(0752840)

7,4 kg



primena application



ZUPČASTE PUMPE / GEAR PUMPS


NON STANDARD

FIAT

oznaka / designation
PPT HIDRAULIKA

↻
3115.928.15D

OEM



4,6 kg
šifra
(9466145)

tractor type
C31X

rad. zapremina / displacement : 19 cm³

NON STANDARD


IMT

oznaka / designation
PPT HIDRAULIKA

↻
ZPB.F5.A39.H2.L

OEM

↻
51504621



3,2 kg
šifra
(1627467)

tractor type
549 DEUTZ

rad. zapremina / displacement : 5,5 cm³


NON STANDARD

FIAT

oznaka / designation
PPT HIDRAULIKA

↻
3115.474.93

OEM



2,7 kg
šifra
(9755646)

tractor type

rad. zapremina / displacement : 6,66 cm³

NON STANDARD


IMT

oznaka / designation
PPT HIDRAULIKA

↻
3117.116.97

OEM

↻
51200960



5,4 kg
šifra
(3035078)

tractor type
5100, 5106, 5130, 5132

rad. zapremina / displacement : 13.33 + 2,66 cm³

STANDARD

FIAT

oznaka / designation
PPT HIDRAULIKA

↻
ZPB.F11.B2.G2.D


BOSCH

↻
0510525011

↻
ZPB.F11.B2.G2.L

↻
0510525313

OEM



3,0 kg
šifra
(0566794) (0756213)

tractor type
450, 450DT, 480, 480DT

rad. zapremina / displacement : 11 cm³

NON STANDARD


IMT

oznaka / designation
PPT HIDRAULIKA

↻
ZPB.163.96

OEM

↻
52705530



6,8 kg
šifra
(1266738)

tractor type
5173

rad. zapremina / displacement : 16 + 11 cm³

STANDARD

FIAT

oznaka / designation
PPT HIDRAULIKA

↻
ZPB.F8.B2.G2.D

BOSCH

↻
0510425011


OEM-aktuel

↻
5129478

OEM-previous

↻
1930058

OEM



2,9 kg
šifra
(0752055)

tractor type
580, 580DT, 680, 680DT
780, 780DT

rad. zapremina / displacement : 8 cm³

NON STANDARD


IMT

oznaka / designation
PPT HIDRAULIKA

↻
3115.475.93

OEM

↻
52705060



3,2 kg
šifra
(3467198)

tractor type
542, 560, 577

rad. zapremina / displacement : 10,66 cm³

NON STANDARD

FIAT


oznaka / designation
PPT HIDRAULIKA

↻
ZPB.F12.B2.G2.L

BOSCH

↻
ZPB.F12.B2.G2.D

OEM



3,0 kg
šifra
(1085542) (1086839)

tractor type

rad. zapremina / displacement : 12 cm³

NON STANDARD

IMT

oznaka / designation
PPT HIDRAULIKA

↻
3115.475.93/1

OEM

↻
52705239



3,2 kg
šifra
(6750319)

tractor type
577

rad. zapremina / displacement : 10,66 cm³

STANDARD

FIAT


oznaka / designation
PPT HIDRAULIKA

↻
ZPB.F19.B2.G2.L

BOSCH

↻
0510625319

OEM



3,6 kg
šifra
(0756205)

tractor type
A42

rad. zapremina / displacement : 19 cm³

NON STANDARD


IMT

oznaka / designation
PPT HIDRAULIKA

↻
3115.370.91M

OEM

↻
57505480



3,2 kg
šifra
(4430609)

tractor type
577, 587

rad. zapremina / displacement : 5,9 cm³




primena application



ZUPČASTE PUMPE / GEAR PUMPS

STANDARD



oznaka / designation
PPT HIDRAULIKA
ZPB.474.35M

OEM
51501591


3,8 kg
šifra (1088181)

tractor type
5100, 5106

rad. zapremina / displacement : 6,6 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.479.26/1

OEM
51202230


15,5 kg
šifra (5313002)

tractor type
5200, 5220

rad. zapremina / displacement : 42,0 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.475.81

OEM
56055130


3,4 kg
šifra (1677376)

tractor type
566, 567, 575, 590

rad. zapremina / displacement : 10,66 cm³

IMT

STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.479.26M

OEM
51201600


13,7 kg
šifra (3922531)

tractor type
5360

rad. zapremina / displacement : 42,0 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.480.92

OEM
51200694


14,0 kg
šifra (4430062)

tractor type
5132, 5270

rad. zapremina / displacement : 53,33 cm³

IMT

STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.481.25M

OEM
52704020


14,5 kg
šifra (3922598)

tractor type
5173

rad. zapremina / displacement : 66,66 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
ZPB.161.95 | ZPB.161.96

OEM
52705530


5,5 kg
šifra (1265474) (1266712)

tractor type
5170

rad. zapremina / displacement : 16 + 4 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3117.263.90

OEM
51201420


17,3 kg
šifra (3933744)

tractor type
5200

rad. zapremina / displacement : 33,33 + 33,33 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.478.55

OEM
51201600


6,3 kg
šifra (3030889)

tractor type
5101, 5131

rad. zapremina / displacement : 33,33 cm³

IMT

STANDARD



oznaka / designation
PPT HIDRAULIKA
3117.263.85M | 3117.263.86M

OEM
51200060


13,5 kg
šifra (4799409) (4799359)

tractor type
5200, 5220, 5270

rad. zapremina / displacement : 33,33 + 33,33 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.479.96

OEM
51202100


14,0 kg
šifra (5105192)

tractor type
5200, 5270, 5360

rad. zapremina / displacement : 11 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.474.29M

OEM
51501210

3,2 kg
šifra (0456566)

tractor type
5170

rad. zapremina / displacement : 5,5 cm³

IMT



primena application



ZUPČASTE PUMPE / GEAR PUMPS

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
ZPB.F6.A12.F2.L
OEM

3,4 kg
šifra
(1622179)

tractor type
rad. zapremina / displacement : 6,66 cm³

IMT

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3117.928.10D
OEM

7,8 kg
šifra
(7310162)

tractor type
R65A
rad. zapremina / displacement : 19 + 10,66 cm³

IMR

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.475.76
OEM

3,5 kg
šifra
(1582642)

tractor type
R47
rad. zapremina / displacement : 10,66 cm³

IMR

STANDARD



oznaka / designation
PPT HIDRAULIKA | **BOSCH**
ZPB.F16.D1.F2.D | 0510625015
OEM

3,9 kg
šifra
(0456178)

tractor type
R120
rad. zapremina / displacement : 16 cm³

IMR

STANDARD



oznaka / designation
PPT HIDRAULIKA | **BOSCH**
ZPB.F19.D1.F2.L | 0510625316
OEM

3,6 kg
šifra
(0456152)

tractor type
R120
rad. zapremina / displacement : 19 cm³

IMR

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.370.91M
OEM

3,2 kg
šifra
(4430609)

tractor type
R76, R76VP
rad. zapremina / displacement : 5,9 cm³

IMR

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.475.10D
OEM

4,0 kg
šifra
(5543285)

tractor type
R47, R60
rad. zapremina / displacement : 10,66 cm³

IMR

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
ZPB.920.31 | ZPB.920.32
OEM

3,6 kg
šifra
(0988071)(0756361)

tractor type
R65, R65N, R65DV, R65S,
R65CKD, R76DVP
rad. zapremina / displacement : 14 cm³

IMR

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.920.76M
OEM

3,5 kg
šifra
(8252686)

tractor type
R60, R65, R65S, R76, R76DVP
rad. zapremina / displacement : 13,33 cm³

IMR

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.500.65
OEM

2,2 kg
šifra
(9752510)

tractor type
rad. zapremina / displacement : 6,0 cm³

LEYLAND

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3117.119.10D
OEM

7,6 kg
šifra
(6393078)

tractor type
R65DV, R65, R65S
rad. zapremina / displacement : 13,33 + 10,66 cm³

IMR

NON STANDARD



oznaka / designation
PPT HIDRAULIKA
3115.478.73M/1
OEM

13,0 kg
šifra
(9469867)

tractor type
rad. zapremina / displacement : 33,33 cm³

LIPICKI



primena application



MASSEY FERGUSON

NON STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
3115.370.93

OEM

↻
897147 M95

3,2 kg
šifra
(0566638)

tractor type
MF265, MF285
rad. zapremina / displacement : 5,9 cm³

MASSEY FERGUSON

NON STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
3115.370.93/1

OEM

↻
897147 M95

3,2 kg
šifra
(1623953)

tractor type
MF265, MF285
rad. zapremina / displacement : 5,9 cm³

MASSEY FERGUSON

NON STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
ZPB.F19/12.B7.H2.L VS

OEM-aktuel | **OEM-previous**

↻
3597420 M91 | ↻
3595383 M91

5,6 kg
šifra
(2425150)

tractor type
MF399
rad. zapremina / displacement : 19 + 12 cm³

TOMO VINKOVIĆ

NON STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
3115.473.29M

OEM

2,7 kg
šifra
(3039864)

tractor type
TV419, TV522, TV420, TV523,
TV818, TV821, TV830
rad. zapremina / displacement : 4,2 cm³

TORPEDO

STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
ZPB.F16.A3.F2.L

OEM

↻
021 7707

2,5 kg
šifra
(5796560)

tractor type
TX45, TX48, TX55A, TD45
rad. zapremina / displacement : 16 cm³

TORPEDO

STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
ZPB.F19.A3.F2.L

OEM

↻
032 3136

2,6 kg
šifra
(0752485)

tractor type
TX65, TD60, TD75A, TD90, TD90A
rad. zapremina / displacement : 19 cm³

TORPEDO

STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
ZPB.F16/11.A3.F2.L

OEM

↻
032 3749

6,5 kg
šifra
(0752394)

tractor type
RX100
rad. zapremina / displacement : 16 + 11 cm³

TORPEDO

STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
ZPB.F22/14.D3.F2.L

OEM

7,4 kg
šifra
(0752840)

tractor type
RX120, RX170
rad. zapremina / displacement : 22,5 + 14 cm³

URSUS, ZETOR

NON STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
ZPB.928.89

OEM

3,7 kg
šifra
(1263545)

tractor type
ZETOR 80M-16145
rad. zapremina / displacement : 19 cm³

URSUS, ZETOR

NON STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
3115.934.76

OEM

7,0 kg
šifra
(8265852)

tractor type
rad. zapremina / displacement : 22,5 cm³

UNIVERSAL

STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
ZPB.F11.B2.G2.D

↻
ZPB.F11.B2.G2.L

OEM

3,0 kg
šifra
(0756213) (↻ 0566794)

BOSCH
↻
0510525011
↻
0510525313
tractor type
UTB445
rad. zapremina / displacement : 11 cm³

UNIVERSAL

NON STANDARD



oznaka / designation

PPT HIDRAULIKA

↻
3117.208.22

OEM

7,0 kg
šifra
(2047186)

tractor type
UTB650, UTB651M
rad. zapremina / displacement : 20 + 10 cm³

ZUPČASTE PUMPE / GEAR PUMPS



primena application



ZUPČASTE PUMPE / GEAR PUMPS

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.476.28M

OEM

043.0162.001

combine type
Z133, Z135, Z142, Z241

rad. zapremina / displacement : 16 cm³

3,7 kg

šifra
(1262158)

ZMAJ

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.162.28M

OEM

043.0162.002

combine type
Z171, Z190, Z191, Z143

rad. zapremina / displacement : 5,5 cm³

6,1 kg

šifra
(1263533)

ZMAJ

STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.F11/8.D1.F2.L

BOSCH

0510565385

OEM

2107.221.620.00

combine type
M1620H

rad. zapremina / displacement : 11 + 8 cm³

6,4 kg

šifra
(0373167)

DURO ĐAKOVIĆ

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.F5/11.A9.K2.L

OEM

combine type
MEGA II 208, MEGA II 202,
MEGA II 203, MEGA II 204, MEGA II 218

rad. zapremina / displacement : 5,5 + 11 cm³

5,3 kg

šifra
(2042872)

CLAAS

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.F5/11/4.A9.K2.L

OEM

combine type
DOMINATOR 96, DOMINATOR 98

rad. zapremina / displacement : 5,5 + 11 + 4 cm³

6,5 kg

šifra
(2041437)

CLAAS

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.F11/4.B2.F2.L.VS

OEM

combine type
LAVERDA

rad. zapremina / displacement : 11 + 4 cm³

7,3 kg

šifra
(2046592)

LAVERDA

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.F11/4.B2.F2.L.VS

OEM

7,3 kg

šifra
(2046592)

combine type

C-14

rad. zapremina / displacement : 11 + 4 cm³

SELMA

NON STANDARD



oznaka / designation
PPT HIDRAULIKA

ZPB.F16/4.B2.F2.L.VS

OEM

7,7 kg

šifra
(2047517)

combine type

rad. zapremina / displacement : 16 + 4 cm³